

# TECHNICAL SPECIFICATION



## Mk®7.0

MK®7.0 Long Peak White Helmet - Wheel Ratchet / AHM170-000-100



### DESCRIPTION

Mk®7.0 features classic shell design with rain channel. Available with three ventilation options and offering compatibility with EVO® accessories and a range of other JSP PPE, the Mk®7.0 provides the latest performance while retaining the styling of traditional industrial safety helmets.

### OPTIONS

#### **MK®7.0 Long Peak White Helmet - Wheel Ratchet (AHM170-000-100)**

MK®7.0 Long Peak White Helmet - Wheel Ratchet - 3Pt Lamp Bracket + Cable Loop (AHM179-300-100)

MK®7.0 Long Peak Vented White Helmet - Wheel Ratchet (AHN170-000-100)

MK®7.0 Long Peak Vented White Helmet - Wheel Ratchet - Large Vents (AHO170-000-100)

\*MK®7.0 Long Peak Vented White Helmet - Wheel Ratchet - Large Vents - LED Lamp Bracket + LED Lamp (AHO171-J00-100)

### SAFETY STANDARDS

EN 50365 • EN 397



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jsp-safety.com](mailto:sales@jsp-safety.com) / Web: [www.jsp-safety.com](http://www.jsp-safety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jsp-safety.com](mailto:copyright@jsp-safety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 10 Mar 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.



## SPECIFICATIONS

|                                                                                   |                                                                      |                                                                                    |                                                                   |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------|
|   | Peak Standard                                                        |   | Impact Resistance<br>50 Joules                                    |
|   | Resistance to Molten Metals and Hot Solids Helmets (optional)<br>Yes |   | Maximum Temperature<br>+50°C                                      |
|   | Minimum Temperature<br>-40°C                                         |   | HDPE Shell<br>Yes                                                 |
|   | Recyclable<br>Yes                                                    |   | Textile Harness                                                   |
|   | Depth Adjustment<br>3D Harness                                       |   | Wheel Ratchet<br>Yes                                              |
|   | Universal Accessories Slot<br>Yes                                    |   | Integrated Eyewear<br>Optional                                    |
|   | BSI Kitemark<br>Yes                                                  |   | Optional 2 point chinstrap (EN397 & EN 812 compliant)<br>Optional |
|   | Optional 4 point chinstrap (EN397 Compliant)<br>Optional             |   | JSPCheck<br>Yes                                                   |
|   | Product Weight<br>393g (Approx)                                      |   | Size<br>53-64cm                                                   |
|  | EN 50365 ELECTRICAL INSULATION<br>1000V                              |  | Ventilation<br>No                                                 |

## FEATURES



### Strength And Comfort

The Mk@7.0 helmet features a super-strong HDPE shell combined with Revolution® wheel ratchet harness and Chamlon™ sweatband for maximum comfort and perfect fit.



### Classic Design

The Mk@7.0 classic shell design features a rain channel around the brim, distinctive JSP shield, and raised 'stripe' on the crown.



### Accessories

The Mk@7.0 is also compatible with EVO® helmet accessories, including thermal liners, neck capes, and chinstraps. Lamp brackets and cable loops are available as factory-fitted options.



### 3D Adjustment

The textile harness features unique 1-2-3-point depth settings. This offers the most precise fit attainable on a safety helmet.



### Ventilation Options

Available with three ventilation options: non-vented, small vented, or large vented. Non-vented and small vent options provide electrical insulation up to 1000V, or choose large vents for optimal coolness and comfort.



### Bespoke Your Mk@7.0

Strengthen corporate identity by applying a company logo to the Mk@7.0 safety helmet using the JSP Logo Express® service. Minimum order quantities and set-up charges apply.

## LOGO

- ☒ Front
- ☒ Sides

## RANGE



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 10 Mar 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.



☒ Back



## DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [doc-helmets-mk-7.0.pdf \(PDF\)](#)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jspsafety.com](mailto:sales@jspsafety.com) / Web: [www.jspsafety.com](http://www.jspsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jspsafety.com](mailto:copyright@jspsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 10 Mar 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.

